




# NTN-SNR BEARING RULMENTI S.R.L.



7213 BECBJ Bearing 2D drawings and 3D CAD models

65 mm x 120 mm x 23 mm skf 7213 BECBJ  
Single row angular contact ball bearings

Bearing No. 7213 BECBJ

Size	120x65x23 mm
Bore Diameter	120 mm
Outer Diameter	65 mm
Width	23 mm
d	65 mm
D	120 mm
B	23 mm
d <sub>1</sub>	86.35 mm
d <sub>2</sub>	75.48 mm
D <sub>1</sub>	100 mm
a	50 mm
r <sub>1,2</sub> - min.	1.5 mm
r <sub>3,4</sub> - min.	1 mm
d <sub>a</sub> - min.	74 mm
D <sub>a</sub> - max.	111 mm
D <sub>b</sub> - max.	114 mm
r <sub>a</sub> - max.	1.5 mm
r <sub>b</sub> - max.	1 mm
Basic dynamic load rating - C	66.3 kN
Basic static load rating - C <sub>0</sub>	54 kN
Fatigue load limit - P <sub>u</sub>	2.3 kN
Reference speed	6300 r/min
Limiting speed	6300 r/min
Calculation factor - k <sub>r</sub>	0.095



## NTN-SNR BEARING RULMENTI S.R.L.

Calculation factor - $k_a$	1.4
Calculation factor - e	1.14
Calculation factor - X	0.57
Calculation factor - $Y_0$	0.52
Calculation factor - $Y_1$	0.55
Calculation factor - $Y_2$	0.93
Calculation factor - X	0.35
Calculation factor - $Y_0$	0.26
Calculation factor - $Y_1$	
Calculation factor - $Y_2$	0.57
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.036
EAN	7316570971798
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	CB
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric



## NTN-SNR BEARING RULMENTI S.R.L.

Long Description	65MM Bore; 120MM Outside Diameter; 23MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; CB; Steel Cage; 40 Degree; 1 (Single); Univers
Other Features	Normal Axial Internal Clearance
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	7213 BECBJ
Width	0.906 Inch   23 Millimeter
Bore	2.559 Inch   65 Millimeter
Outside Diameter	4.724 Inch   120 Millimeter
bore diameter:	65 mm
maximum temperature:	257 ° F
outside diameter:	120 mm
cage material:	Steel
overall width:	23 mm
maximum rpm:	6700 rpm
contact angle:	40 °
finish/coating:	Uncoated
row type & fill slot:	Single-Row Non-Fill Slot
fillet radius:	1.5 mm
bore type:	Round
series:	7200
closure type:	Open
weight:	2.2 lbs



## NTN-SNR BEARING RULMENTI S.R.L.

bearing material:	Steel
manufacturer product page:	<a href="#">Click here</a>
radial dynamic load capacity:	69.5 kN
manufacturer upc number:	7316570971798
radial static load capacity:	57 kN
$d_1$	86.35 mm
$d_2$	75.48 mm
$D_1$	99.45 mm
$r_{1,2}$ min.	1.5 mm
$r_{3,4}$ min.	1 mm
$d_a$ min.	74 mm
$D_a$ max.	111 mm
$D_b$ max.	114 mm
$r_a$ max.	1.5 mm
$r_b$ max.	1 mm
Basic dynamic load rating C	69.5 kN
Basic static load rating $C_0$	57 kN
Fatigue load limit $P_u$	2.45 kN
Calculation factor A	0.0478
Calculation factor $k_r$	0.095
Calculation factor e	1.14
Calculation factor X	0.35
Calculation factor $Y_0$	0.26
Calculation factor $Y_2$	0.57
Calculation factor X	0.57
Calculation factor $Y_0$	0.52
Calculation factor $Y_1$	0.55
Calculation factor $Y_2$	0.93
Mass bearing	1 kg